

WEBCO Tubing Size Ranges

DATA SHEET

Cold Drawn Seamless (CDS) Mechanical Tubing Range of Sizes

OUTSIDE DIAMETER		MINIMUM WALL																												
mm		1.2	1.5	1.7	1.8	2.1	2.4	2.8	3.0	3.4	4.0	4.2	4.8	5.2	5.6	6.4	7.1	8.0	8.3	8.7	9.5	11.1	11.9	12.7	14.3	15.9	17.5	19.1	20.7	22.2
	in	0.049	0.058	0.065	0.072	0.083	0.095	0.109	0.120	0.134	0.156	0.165	0.188	0.203	0.219	0.250	0.281	0.313	0.325	0.344	0.375	0.438	0.469	0.500	0.563	0.625	0.688	0.750	0.813	0.875
12.7	0.500	•	•	•	•	•	•	•	•	•																				
14.3	0.563	•	•	•	•	•	•	•	•	•	•	•																		
15.9	0.625	•	•	•	•	•	•	•	•	•	•	•	•																	
19.1	0.750	•	•	•	•	•	•	•	•	•	•	•	•	•	•															
22.2	0.875	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•														
25.4	1.000	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•												
28.6	1.125	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•										
31.8	1.250	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•									
34.9	1.375	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•								
38.1	1.500	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•							
41.3	1.625	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						
44.5	1.750	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
47.6	1.875	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
50.8	2.000	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
54.0	2.125		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
57.2	2.250		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
60.3	2.375		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
63.5	2.500			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
66.7	2.625			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
69.9	2.750			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
73.0	2.875			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
76.2	3.000			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
79.4	3.125							•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
82.6	3.250							•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
85.7	3.375							•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
88.9	3.500							•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
101.6	4.000							•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
114.3	4.500											•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
127.0	5.000											•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
139.7	5.500											•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	

For sizes not shown on this chart, please inquire about availability.

✔ Webco manufacturing facilities are ISO 9001 and PED certified.

Contact Information for CDS Mechanical Tube Products

Sales Support	918-245-2211 (office)	918-241-0817 (fax)	carbon_mechanical@webcotube.com
webcotube.com 9101 W 21st Street Sand Springs, OK 74063 USA			

STRENGTH • AGILITY • INNOVATION

