

# Specialty Stainless Steel Tubing

## DATA SHEET

### Range of Specialty Tubing Sizes\*

\*Other sizes available upon request (metric and specials)

OUTSIDE DIAMETER																				
Inch	(mm)	Inch (mm)	0.020 0.51	0.022 0.56	0.028 0.71	0.035 0.89	0.047 1.19	0.049 1.24	0.059 1.50	0.065 1.65	0.083 2.11	0.095 2.41	0.109 2.77	0.120 3.05	0.134 3.40	0.148 3.76	0.165 4.19	0.180 4.57	0.203 5.16	
0.188	4.8		•	•	•	•	•	•												
0.250	6.4		•	•	•	•	•	•	•											
0.313	8.0		•	•	•	•	•	•	•											
0.375	9.5		•	•	•	•	•	•	•											
0.394	10.0		•	•	•	•	•	•	•											
0.472	12.0		•	•	•	•	•	•	•											
0.500	12.7		•	•	•	•	•	•	•											
0.551	14.0		•	•	•	•	•	•	•											
0.625	15.9		•	•	•	•	•	•	•		•	•								
0.750	19.1		•	•	•	•	•	•	•	•	•	•	•							
0.875	22.2		•	•	•	•	•	•	•	•	•	•	•							
1.000	25.4		•	•	•	•	•	•	•	•	•	•	•	•						
1.050	26.7		•	•	•	•	•	•	•	•	•	•	•	•						
1.125	28.6		•	•	•	•	•	•	•	•	•	•	•	•						
1.250	31.8		•	•	•	•	•	•	•	•	•	•	•	•						
1.375	34.9		•	•	•	•	•	•	•	•	•	•	•	•						
1.500	38.1		•	•	•	•	•	•	•	•	•	•	•	•						
1.750	44.5		•	•	•	•	•	•	•	•	•	•	•	•						
2.000	50.8		•	•	•	•	•	•	•	•	•	•	•	•	•					•
2.250	57.2		•	•	•	•	•	•	•	•	•	•	•	•	•	•				•
2.500	63.5		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			•

### Tube Specifications\*\*

SPECIFICATION	ALLOYS INCLUDED*
ASTM A249/SA249	304, 304H, 304L, 304N, 304LN, 316, 316L, 316N, 316LN, 317L, AL-6XN®
A268/SA268	409, 439 (XM-8), E-BRITE® (XM-27), AL29-4C®
ASTM A269	304, 304L, 304LN, 316, 316L, 316LN, 317, AL-6XN®
A789/SA789	2003, 2101, 2205, 2507
A688/SA688	304, 304L, 304N, 304LN, 316, 316L, 316N, 316LN, AL-6XN®
A803/SA803	439 (XM-8), E-BRITE® (XM-27), AL29-4C®
B338/SB338	Titanium grades 2 and 7 tubing
B626/SB626	Welded UNS N06686
A-1016/SA-1016	General requirements for ferritic alloy steel, austenitic alloy steel and stainless steel tubes, 18CRCB
B704/SB704	Welded UNS N06625 and UNS N08825 alloy tubes

\*\*Alloys other than referenced in these specifications may also be available



### Contact Information for Stainless Tubing Products

Stainless & Tubing facilities are located in Kellyville and Mannford, OK, USA.				
Heath Harrison	Product Manager	918-241-9985 (office)	918-241-0864 (fax)	hharrison@webcotube.com
Product Specialist		918-245-2211 (main office)	918-245-0306 (fax)	stainless@webcotube.com
<b>webcotube.com</b>   9101 W 21st Street   Sand Springs, OK 74063 USA   918-245-2211				

**STRENGTH • AGILITY • INNOVATION**

